

受験番号
氏名

問 1 の解答欄

設問 1	ア		イ		ウ	
	エ		オ			
設問 2	(1)					
	(2)					
	(3)	MS1,				
設問 3	(1)					
	(2)					
	(3)					

問 2 の解答欄

設問 1	ア		イ	
	ウ		エ	
	オ		カ	
設問 2	(1)			
	(2)			
	(3)		ミリ秒	
設問 3	ノードA <input type="checkbox"/>			
	ノードB <input type="checkbox"/> <input type="checkbox"/> ノードC			
設問 4	(1)			
	(2)			
	(3)			

選択欄

1	
2	
3	
4	

問 3 の解答欄

設問 1	ア		イ	
	ウ			
設問 2				
設問 3	(1)			
	(2)	(a)		(b)
	(3)			
設問 4	①			
	②			

問 4 の解答欄

設問 1	ア		イ	
	ウ		エ	
	オ			
設問 2	(1)	a		b
	(2)	反映されて いない情報		
		ポート		
(3)				
設問 3				
設問 4	(1)			
	(2)	①		
		②		

受験番号
氏名

問1の解答欄

設問1	(1)	ア																
		イ																
	(2)	UDPを使用した鍵交換																
		ESPヘッダを使ったカプセル化																
	(3)																	
	(4)																	
設問2	(1)																	
	(2)																	
	(3)	E1の あて先MACアドレス				P1の あて先IPアドレス												
	(4)	①																
		②																

設問3	(1)	a															b		
	(2)																		
	(3)																		
	(4)	①																	
②																			
設問4	(1)	認証サーバ																	
		USB認証デバイス																	
	(2)	ウ															エ		
設問5	(1)																		
	(2)																		
	(3)																		

1問選択

1			
2			

合計



受験番号
氏名

問2の解答欄

設問1	(1)	①		②	
		③		④	
	(2)	①			
		②			
	(3)	③			
(4)					
(5)	接続				
	仮想ルータの数				
設問2	(1)	ア		イ	
		ウ		エ	
		オ		カ	
	(2)	キ			
	(3)	ク			
設問3	(1)	選択した方式			
		選択した理由			
	(2)				
	(3)				
	(4)	①			
②					

設問4	(1)	a	
		b	
		c	
(2)			
(3)			
設問5	(1)		
	(2)		
	(3)	d	
e			
(4)	①		
	②		

1問選択

1		
2		

合計

